

# MFPA Leipzig GmbH

Testing, Inspection and Certification Authority for Construction Products and Construction Types

Leipzig Institute for Materials Research and Testing Business Division III - Structural Fire Protection Dipl.-Ing. Sebastian Hauswaldt

Work Group 3.2 - Fire Behaviour of Building Components and special Constructions

> Dipl.-Wirtsch.-Ing. S. Kramer Tel.: +49 (0) 341 - 6582-194 kramer@nnfpa-leipzig.de

#### Classification Report No. KB 3.2/14-013-3

30 June 2015 No. Copy 1

Translation of the original German document KB 3.2/14-013-3

Subject matter:

Classification of a load-bearing, space-enclosing, thermally-insulating, solid timber wall construction lined on one side with 18 mm thick gypsum plasterboards with a one-sided fire load according to DIN EN 13501-2: 2010-2\*

Client:

Massiv-Holz-Mauer Entwicklungs GmbH

Auf der Geigerhalde 41

D - 87459 Pfronten-Weißbach

Person in charge:

Dipl.-Wirtsch.-Ing. S. Kramer

The classification report is not a type approval or product certification. It does not replace any building authority certificate that may be necessary according to German building laws (state building code) and is only valid in conjunction with the corresponding test report.

This document consists of 5 pages and may not be used or reproduced in extracts.

This document may only be reproduced in its unabbreviated form. All publication, even in excerpts, requires the prior written permission of MFPA Leipzig GmbH. The legal binding form is the written form in German with the original signatures and original stamp of the authorized signatory / signatories.

General terms and conditions of MPFA Leipzig GmbH are valid.





Test laboratory accredited by DAkkS GmbH according to DIN EN ISO/IEC 17025. The accreditation only applies to the test methods listed in the certificate (in this document marked with \*) which can be seen on www.mfpa-leipzig.de

Notified testing laboratories, inspection bodies and certification bodies recognized according to the Construction Products Law (NB 800) and the State Building Code (SAC 02). Gesellschaft für Materialforschung und Prüfungsanstalt für das Bauwesen Leipzig mbH (MFPA Leipzig GmbH)

Head Office:

Hans-Weigel-Str. 2b - 04319 Leipzig/Germany Managing Director.
Comm. Register:
VAT-ID:
Prof. Dr. Ing. Frank Dehn
Local Court Leipzig HRB 17719
DE 813200649

Fax:

+49 (0) 341 - 6582-0 +49 (0) 341 - 6582-135

#### 1 Introduction

This classification report defines the classification assigned to the load-bearing, space-enclosing and thermally-insulating solid timber wall construction in accordance with the procedure specified in DIN EN 13501-2: 2010-2.

#### 2 Details of the classified product

#### 2.1 General

The wall construction, consisting of solid timber elements and panelling on one side, is defined as a load-bearing, space-enclosing, thermally-insulating wall construction that is to be classified in accordance with DIN EN 1365-1 in conjunction with DIN EN 13501-2 section 7.3.2. Its function is to resist fire corresponding to the characteristic fire behaviour in accordance with section 5.2.1 - 5.2.3 of DIN EN 13501-2: 2010-2.

#### 2.2 Structural design of the wall construction

 Table 1
 List of structural details of the tested wall construction

| Position                   | Material/ dimensions  | Remark(s)  Element connection: The elements are jointed together by screws (WT-t-8.2x240) at an angle of 45°.  Vertical and horizontal contact surfaces of the individual elements are to be provided with an all-over wax coating. |  |  |  |
|----------------------------|---|---|--|--|--|
| Supporting structure:      | Wall elements made of 9 layers of cross-wise laminated spruce boards with relief grooves and a fluted surface Element thickness d ≥ 205 mm  Element size lower part of wall: B x H = 1000 mm x 500 mm  Element size upper part of wall: B x H = 1000 mm x 2500 mm |   |  |  |  |
| Lining on one side of wall | Gypsum plasterboard d ≥ 18.0 mm  Max. board size: b x h ≤ 1250 mm x 2500 mm  Joints and screw heads stopped Cross joints are allowed.   | Fasteners:  Plasterboard drywall screws ≥ 30 x 3.9 mm  Gap a ≤ 250 mm  Gap between rows ≤ 625 mm  |  |  |  |

The height of the wall construction may not exceed 3000 mm.

The load on the wall construction is limited to 140 kN/m.

Further structural details as well as the materials used and their building material characteristic values can be found in the test report PB III/B 03 – 157 from 22.10:2003 of MFPA Leipzig GmbH.

### 3 Test reports and test results supporting this classification

### 3.1 Test reports

 Table 2
 Compilation of test reports

| Organisation that performed the test                       | Applicant                | Number of the test report            | Test standard  |  |  |
|--|--------------------------|--------------------------------------|--|--|--|
| MFPA Leipzig GmbH<br>Hans-Weigel-Str. 2 b<br>04319 Leipzig | MHM Entwicklungs<br>GmbH | PB III/B 03 – 157<br>from 22.10.2003 | DIN EN 1365-1: 1999-10,<br>in conjunction with<br>DIN EN 1363-1: 1999-10 |  |  |

#### 3.2 Test results

 Table 3
 Compilation of the test results

|                           |  | Test results<br>with load on the          |                                  |  |  |  |  |  |  |
|---------------------------|--|---|----------------------------------|--|--|--|--|--|--|
| Test method               | Parameter  | layer of 18 mm<br>gypsum<br>plasterboards | un-panelled solid<br>timber wall |  |  |  |  |  |  |
|                           | Strength (R)   |   |                                  |  |  |  |  |  |  |
|                           | Vertical compression C = h/100 [mm] Limit not reached  |   |                                  |  |  |  |  |  |  |
|                           | Speed of vertical compression dC/dt = 3 h/1000 [mm/min]  | Limit not reached                         |                                  |  |  |  |  |  |  |
| DIN EN 1365-1:<br>2013-08 | Integrity (E)  |   |                                  |  |  |  |  |  |  |
| in conjunction with       | Combustion of the cotton ball no combustion  |   |                                  |  |  |  |  |  |  |
| DIN EN 1363-1:<br>2012-10 | Appearance of gaps no gaps   |   |                                  |  |  |  |  |  |  |
|                           | Appearance of flames on the opposite side  | no sustained appearance of flames         |                                  |  |  |  |  |  |  |
|                           | <b>Thermal insulation (I)</b> – Rise in temperature on the side to which no flames are applied above the initial temperature after the 90th minute of test |   |                                  |  |  |  |  |  |  |
|                           | Mean value > 140 K   | 2 K 4 K                                   |                                  |  |  |  |  |  |  |
|                           | max. single value > 180 K  | 26 K                                      | 13 K                             |  |  |  |  |  |  |

## 4 Classification and direct field of application

#### 4.1 Reference for classification

This classification was carried out in accordance with DIN EN 13501-2: 2010-02, section 7.

Leipzig GmbH

SAC 02 NB 0800

#### 4.2 Classification

This classification has been carried out in compliance with section 7.3.2 of DIN EN 13501-2: 2010-02.

The load-bearing, space-enclosing,, thermally-insulating solid timber wall construction (solid timber wall) with panelling on one side of gypsum plasterboards according to section 2.2 has been classified on the basis of the following combinations of performance parameters and classes for a one-sided fire load on the side lined with gypsum plasterboards and/or the unpanelled side of the wall. Other classifications are not allowed.

| R | Е | 1 | W | - | t  | - | M | Р | С | IncSlow | sn | ef | r |
|---|---|---|---|---|----|---|---|---|---|---------|----|----|---|
| R | Е | 1 | - | - | 90 | - | - | - | - | -       | -  | -  | - |

# Fire protection effect: REI-90

#### 4.3 Direct field of application

The results of the fire test are directly applicable to similar designs in which one or several of the changes listed below have been carried out and for which the design continues to meet the requirements of the corresponding design standard in terms of its rigidity and strength. Further changes are not allowed.

- Reduction of the height of the wall,
- Increase in the width of the wall,
- Increase in the thickness of the wall.
- Increase in the thickness of individual components (corresponding materials),
- Reduction of the length of boards and panels, though not the thickness.
- Reduction of the gaps between fastenings,
- Increase in the number of horizontal joints,
- Reduction of the applied load.
- On account of two fire tests on each side, the classification REI-90 applies for the asymmetric wall construction with a load from the outside to the inside acc. to section 2.2.



#### 5 Restrictions

The classification document is not a type approval or certification of the product. It does not replace any building authority certificate that may be necessary according to German building laws (state building code).

This classification report is valid for an unlimited period. It is the responsibility of the certification body to check whether the relevant test and classification standards are valid and/or that no significant changes have been made that may have an effect on the safety level.

Leipzig, 30 June 2015

Head of Business Division

Dipl.-Ing. S. Hauswaldt

Lelpzig GmbH

SAC 02 NB 0800

> Dipl.-Ing. H. Fischkandl Head of Laboratory

Dipl.-Wirtsch.-Ing. S. Kramer

Testing Engineer